EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44	encod$3 near2 breakpoint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 15:49
S1	365	717/129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:53
S2	726	((717/129) or (714/34,35)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/22 10:08
S3	355	hardware near2 breakpoint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:57
S4	51	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 17:53

C:\Documents and Settings\JRutten\My Documents\EAST\Workspaces\10616525.wsp

S5	49	(US-20050010908-$ or US-20030084375-$ or US-20030225929-$ or US-20060041788-$ or US-20020194540-$).did. or (US-5754839-$ or US-5774724-$ or US-4819234-$ or US-5621886-$ or US-5740413-$ or US-5257358-$ or US-6205560-$ or US-5694589-$ or US-6134710-$ or US-6249906-$ or US-6463553-$ or US-5889982-$ or US-7047520-$ or US-5488728-$ or US-6502210-$ or US-5295260-$ or US-5745770-$ or US-5455909-$ or US-6154857-$ or US-5564041-$ or US-5754759-$ or US-5901300-$ or US-6026503-$ or US-6134652-$ or US-6141636-$ or US-5371894-$).did. or (US-5602729-$ or US-6487683-$ or US-6557119-$ or US-6240544-$ or US-5544311-$ or US-5717909-$ or US-6708326-$ or US-6052801-$ or US-6003129-$ or US-6219828-$ or US-5193187-$ or US-5809293-$ or US-5564028-$ or US-5724566-$ or US-5889981-$ or US-5922070-$ or US-6052774-$ or US-5664159-$).did.	US-PGPUB; USPAT	OR	ON	2006/11/21 17:55
S6	42	hardware near2 breakpoint and interrupt adj handler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/21 18:04
S7	26	start adj breakpoint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 07:48
S8	65	stop adj breakpoint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 08:03
S9	5	((stop end) adj breakpoint) same ((start beginning) adj breakpoint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 08:04

EAST Search History

S10	1030	((717/129,130) or (714/34,35)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/22 10:16
S11	1777	((717/127-130) or (714/34,35)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/22 10:16
S12	37409	function with profil$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 10:16
S13	96	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 10:28
S14	1	watchpoint with profil$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 10:28
S15	3	watchpoint same profil$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 15:49

P⊘RTAL

USPTO

Search: ○ The ACM Digital Library   ⦿ The Guide

start stop breakpoints   **SEARCH**

THE GUIDE TO COMPUTING LITERATURE

Feedback Report a problem Satisfaction survey

Terms used **start stop breakpoints**   Found **25,078** of **972,905**

Sort results by   relevance ■

Display results   expanded form ■

◆ Save results to a Binder

? Search Tips

▢ Open results in a new window

Try an Advanced Search
Try this search in The Digital Library

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ▢ ◻ ◼ ■ ■

1 RFC0909: Loader Debugger Protocol   ■
   C. Welles, W. Milliken
   July 1984 rfc
   Publisher: RFC Editor
   Additional Information: full citation

2 Getting to Know gdb   ■
   Mike Loukides, Andy Oram
   September 1996 **Linux Journal**
   Publisher: Specialized Systems Consultants, Inc.
   Full text available: ⬚ html(26.47 KB)   Additional Information: full citation, index terms

3 Extension Language Automation of Embedded System Debugging   ■
   Dale Parson, Bryan Schlieder, Paul Beatty
   January 2002 **Automated Software Engineering**, Volume 9 Issue 1
   Publisher: Kluwer Academic Publishers
   Full text available: ⬚ Publisher Site   Additional Information: full citation, abstract, index terms

   Embedded systems contain several layers of target processing abstraction. These layers
   include electronic circuit, binary machine code, mnemonic assembly code, and high-level
   procedural and object-oriented abstractions. Physical and temporal constraints and
   artifacts within physically embedded systems make it impossible for software engineers to
   operate at a single layer of processor abstraction. The Luxdbg embedded system
   debugger exposes these layers to debugger users, and it adds an additi ...

   Keywords: Tcl/Tk, debugger, embedded system, extension language, reflection

4 Debugging concurrent programs   ■
   ◆ Charles E. McDowell, David P. Helmbold
   December 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 4
   Publisher: ACM Press

                      Additional Information: full citation, abstract, references, citings, index

Google

Web   Images   Video   News   Maps   more »

start stop breakpoints | Search | Advanced Search
                                             Preferences

Web   Results **1 - 10** of about **696,000** for <u>start</u> <u>stop</u> <u>breakpoints</u>. (0.24 seconds)

XDS Debugger User's Guide
Statements of this group are used to establish breaks and **breakpoints**, and execute the
program being debugged. **START/STOP - Start/stop** execution ...
www.excelsior-usa.com/doc/xd04.html - 55k - <u>Cached</u> - <u>Similar pages</u>

Set Profiler **breakpoints**
There are two types of Profiler **breakpoint, start** and **stop**. ... You can only set one Profiler
start breakpoint, but you can set multiple **stop breakpoints**. ...
www.codescape.com/help/html_cspro_only/080_profile_set-bps.htm - 5k -
<u>Cached</u> - <u>Similar pages</u>

Contents
Creating quick **start** JCL from the panels · Quick **start** parameters · Creating snapshot
summary JCL from the panels · Creating quick **stop** JCL from the panels ...
publib.boulder.ibm.com/infocenter/pdthelp/
v1r1/topic/com.ibm.debugtooluaf6.doc/eqa6cu0002.htm - 33k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Debugging Techniques for Embedded Systems using Real-Time Software ...
File Format: PDF/Adobe Acrobat
In a **start/stop** debugging. system, once you reach a **breakpoint** you can look at the state
of any part of the. system. Trace systems have limited capacity, ...
www.arm.com/pdfs/Debugging%20Techniques%20Paper.pdf - <u>Similar pages</u>

[PDF] link into Tools that
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Set/delete **breakpoints**. HiTOP V4.10 or later and. Control the application (**start,stop,**step).
DA-C V3.5.568 or later. www.ristancase.ch. EasyCode ...
www.hitex.com/pdf/b1-hitop-pt.pdf - <u>Similar pages</u>

cprof
Pause call count tracing for all functions in all modules and **stop** it for ... functions that can
have call count **breakpoints**, the same as **start**/0..3 with ...
www.erlang.org/doc/doc-5.5.2/lib/tools-2.5.2/doc/html/cprof.html - 13k -
<u>Cached</u> - <u>Similar pages</u>

Venkman 0.9.x Frequently Asked Questions
You can also **start** the browser with the -venkman command line option. ... Venkman can
only **stop** at Hard **Breakpoints**. Venkman cannot set a Hard **Breakpoint** in ...
www.hacksrus.com/~ginda/venkman/faq/venkman-faq.html - 51k - <u>Cached</u> - <u>Similar pages</u>

Bug ID: 4444611 JPDADebugger does not **stop** on the Thread **Start** ...
netbeans_ro:debuggerjpda, JPDADebugger does not **stop** on the Thread **Start breakpoint**,
VMMismatchException,State: closed,Reported: 13-APR-2001,Release ...
bugs.sun.com/bugdatabase/view_bug.do?bug_id=4444611 - 20k - <u>Cached</u> - <u>Similar pages</u>

rfc 685
... deposit, **start, stop**, set **breakpoint**, etc.). This division of debugging computation
between the two machines is implemented and in use at BBN. ...
tools.ietf.org/html/685 - 12k - <u>Cached</u> - <u>Similar pages</u>